

Troy Coppernate Injection Troy Laboratories Pty Ltd

Chemwatch: **5398-50** Version No: **4.1**

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

Chemwatch Hazard Alert Code:

Issue Date: **10/03/2023**Print Date: **31/03/2025**L.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier		
Product name	Troy Coppernate Injection	
Chemical Name	Not Applicable	
Synonyms	APVMA number: 50441	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For the prevention and treatment of copper deficiency in cattle. To be used as directed on product label.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Troy Laboratories Pty Ltd
Address	37 Glendenning Road Glendenning NSW 2761 Australia
Telephone	02 8808 3600
Fax	02 9677 9300
Website	www.Troylab.com.au
Email	admin@troylab.com.au

Emergency telephone number

Association / Organisation	Ixom Emergency Response Service	
Emergency telephone number(s)	1800 033 111 (24 hours)	
Other emergency telephone number(s)	Not Available	

SECTION 2 Hazards identification

Classification of the substance or mixture

Poisons Schedule	S6
Classification [1]	Serious Eye Damage/Eye Irritation Category 2A
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)



Signal word

Warning

Chemwatch: 5398-50 Page 2 of 10 Issue Date: 10/03/2023 Version No: 4.1 Print Date: 31/03/2025

Troy Coppernate Injection

Hazard statement(s)

H319 Causes serious eye irritation.

Precautionary statement(s) Prevention

P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264	Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name	
13479-54-4	10-30	glycine, copper salt	
Not Available	balance	Ingredients determined not to be hazardous	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available		

SECTION 4 First aid measures

Description of first aid measures

occupation of mot ala mo	
Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Chemwatch: 5398-50

Troy Coppernate Injection

Page 3 of 10 Issue Date: 10/03/2023 Version No: 4.1 Print Date: 31/03/2025

SECTION 5 Firefighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

In such an event consider:

- foam.
- dry chemical powder.
- carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). May emit acrid smoke. Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) metal oxides other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Neutralise/decontaminate residue (see Section 13 for specific agent). Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using. If contamination of drains or waterways occurs, advise emergency services.

Troy Coppernate Injection

Issue Date: 10/03/2023 Print Date: 31/03/2025

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Safe handling

Precautions for safe handling

- Avoid all personal contact, including inhalation.
 - ▶ Wear protective clothing when risk of exposure occurs.
 - Use in a well-ventilated area.
 - Prevent concentration in hollows and sumps.
 - DO NOT enter confined spaces until atmosphere has been checked.
 - ▶ DO NOT allow material to contact humans, exposed food or food utensils.
 - Avoid contact with incompatible materials.
 - When handling, DO NOT eat, drink or smoke.
 - ▶ Keep containers securely sealed when not in use.
 - Avoid physical damage to containers.
 - Always wash hands with soap and water after handling.
 - ▶ Work clothes should be laundered separately. Launder contaminated clothing before re-use.
 - Use good occupational work practice.
 - ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.
 - Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

Other information

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container

- Polyethylene or polypropylene container.
- ▶ Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

▶ Avoid strong acids, bases

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Ingredient	Original IDLH	Revised IDLH
glycine, copper salt	Not Available	Not Available

MATERIAL DATA

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.

Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection.

An approved self contained breathing apparatus (SCBA) may be required in some situations.

Provide adequate ventilation in warehouse or closed storage area. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Type of Contaminant:	Air Speed:
solvent, vapours, degreasing etc., evaporating from tank (in still air).	0.25-0.5 m/s (50- 100 f/min.)

Troy Coppernate Injection

Issue Date: 10/03/2023
Print Date: 31/03/2025

aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)

direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)

grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity 2.5-10 m/s (500-2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large hood or large air mass in motion	4: Small hood-local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Individual protection measures, such as personal protective equipment











Eye and face protection

Safety glasses with side shields.

- ► Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

Skin protection

See Hand protection below

Hands/feet protection

- ▶ Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber

Body protection

See Other protection below

Other protection

- Overalls.
- P.V.C apron.
- Barrier cream.
- Skin cleansing cream.
- Eye wash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Troy Coppernate Injection

Material	СРІ
BUTYL	Α
NEOPRENE	Α
VITON	Α
NATURAL RUBBER	С
PVA	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1	-
up to 50	1000	-	A-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand

Troy Coppernate Injection

Issue Date: **10/03/2023**Print Date: **31/03/2025**

of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Ansell Glove Selection

Glove — In order of recommendation
AlphaTec 02-100
AlphaTec® 15-554
AlphaTec® Solvex® 37-185
AlphaTec® 38-612
AlphaTec® 53-001
AlphaTec® 58-005
AlphaTec® 58-008
AlphaTec® 58-530B
AlphaTec® 58-530W
AlphaTec® 58-735

The suggested gloves for use should be confirmed with the glove supplier.

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Purplish blue to dark blue supernatant liquid with mild odour; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	1.105
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	7.8-9	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	~0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	~100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	2.37 @20C	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7

Troy Coppernate Injection

Issue Date: **10/03/2023**Print Date: **31/03/2025**

Hazardous decomposition products

See section 5

SECTION 11 Toxicological information

al effects		
Based on available data, the classification criteria are not met.		
Based on available data, the classification criteria are not met.		
There is sufficient evidence to classify this material as eye damage	ging or irritating	
Based on available data, the classification criteria are not met.		
Based on available data, the classification criteria are not met.		
Based on available data, the classification criteria are not met.		
Based on available data, the classification criteria are not met.		
Based on available data, the classification criteria are not met.		
Based on available data, the classification criteria are not met.		
Based on available data, the classification criteria are not met.		
	-	- · · · · · · · · · · · · · · · · · · ·
of the lack of corroborating animal or human evidence. The mater following ingestion, especially where pre-existing organ (e.g liver, toxic substances are generally based on doses producing mortali	rial may still be da kidney) damage i ty rather than thos	maging to the health of the individual, is evident. Present definitions of harmful or se producing morbidity (disease, ill-health).
substantial number of individuals following direct contact, and/or pintact skin of animals, for up to four hours, such inflammation being exposure period. Skin irritation may also be present after prolong dermatitis (nonallergic). The dermatitis is often characterised by sprogress to blistering (vesiculation), scaling and thickening of the oedema of the spongy layer of the skin (spongiosis) and intracelly Open cuts, abraded or irritated skin should not be exposed to this Entry into the blood-stream through, for example, cuts, abrasions	produces significating present twenty- ed or repeated existin redness (erythe pidermis. At the plant of the material puncture wounds or the puncture wounds or twenty or the puncture wounds or twenty or the twenty or tw	nt inflammation when applied to the healthy four hours or more after the end of the posure; this may result in a form of contact nema) and swelling (oedema) which may microscopic level there may be intercellular e epidermis.
Limited evidence exists, or practical experience suggests, that the	e material may ca	
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur.	s which are prese ye contact may ca	nt twenty-four hours or more after instillation ause inflammation characterised by temporary
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te	s which are prese ye contact may ca mporary impairme	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems.	s which are prese ye contact may ca emporary impairme al exposure may p	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems.	s which are prese ye contact may ca imporary impairment al exposure may p	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems.	s which are prese ye contact may ca emporary impairme al exposure may p	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems.	s which are prese ye contact may ca imporary impairment al exposure may p	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems. TOXICITY Not Available	s which are prese ye contact may ca emporary impairment al exposure may particular IRRITATION Not Available	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems. TOXICITY Not Available TOXICITY	s which are prese ye contact may camporary impairment all exposure may present the second IRRITATION Not Available IRRITATION Eye: no adverse	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye produce cumulative health effects involving
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems. TOXICITY Not Available TOXICITY	s which are prese ye contact may ca emporary impairme al exposure may p IRRITATION Not Available IRRITATION Eye: no adverse Skin: adverse ef	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye produce cumulative health effects involving the effect observed (not irritating) ^[1] fect observed (irritating) ^[1] flue obtained from manufacturer's SDS.
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems. TOXICITY Not Available TOXICITY Oral (Rat) LD50: >2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substances - Au Unless otherwise specified data extracted from RTECS - Registered	s which are prese ye contact may ca emporary impairme al exposure may p IRRITATION Not Available IRRITATION Eye: no adverse Skin: adverse ef cute toxicity 2. Va er of Toxic Effect of	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye produce cumulative health effects involving the effect observed (not irritating) ^[1] fect observed (irritating) ^[1] flue obtained from manufacturer's SDS.
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems. TOXICITY Not Available TOXICITY Oral (Rat) LD50: >2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substances - Action 1.	s which are prese ye contact may ca emporary impairme al exposure may p IRRITATION Not Available IRRITATION Eye: no adverse Skin: adverse ef cute toxicity 2. Va er of Toxic Effect of	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye produce cumulative health effects involving the effect observed (not irritating) ^[1] fect observed (irritating) ^[1]
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems. TOXICITY Not Available TOXICITY Oral (Rat) LD50: >2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substances - Au Unless otherwise specified data extracted from RTECS - Register No significant acute toxicological data identified in literature search	s which are prese ye contact may ca emporary impairme al exposure may p IRRITATION Not Available IRRITATION Eye: no adverse Skin: adverse ef cute toxicity 2. Va er of Toxic Effect of	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye produce cumulative health effects involving the effect observed (not irritating) ^[1] fect observed (irritating) ^[1] flue obtained from manufacturer's SDS.
into the eye(s) of experimental animals. Repeated or prolonged e redness (similar to windburn) of the conjunctiva (conjunctivitis); te damage/ulceration may occur. Limited evidence suggests that repeated or long-term occupation organs or biochemical systems. TOXICITY Not Available TOXICITY Oral (Rat) LD50: >2000 mg/kg ^[1] 1. Value obtained from Europe ECHA Registered Substances - Aunless otherwise specified data extracted from RTECS - Register No significant acute toxicological data identified in literature searce.	s which are prese ye contact may ca emporary impairme al exposure may p IRRITATION Not Available IRRITATION Eye: no adverse Skin: adverse ef cute toxicity 2. Va er of Toxic Effect of	nt twenty-four hours or more after instillation ause inflammation characterised by temporary ent of vision and/or other transient eye produce cumulative health effects involving effect observed (not irritating) ^[1] fect observed (irritating) ^[1] Jue obtained from manufacturer's SDS. of chemical Substances
	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. There is sufficient evidence to classify this material as eye damage. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. The material is not thought to produce respiratory irritation (as clainhalation of vapours, fumes or aerosols, especially for prolonged distress. The material has NOT been classified by EC Directives or other of the lack of corroborating animal or human evidence. The material lack of corroborating animal or human evidence. The material Gastrointestinal tract discomfort may produce nausea and vomiting quantities is not thought to be cause for concern. Limited evidence exists, or practical experience predicts, that the substantial number of individuals following direct contact, and/or printact skin of animals, for up to four hours, such inflammation being exposure period. Skin irritation may also be present after prolong dermatitis (nonallergic). The dermatitis is often characterised by sprogress to blistering (vesiculation), scaling and thickening of the oedema of the spongy layer of the skin (spongiosis) and intracellated of the spongy layer of the skin should not be exposed to this Entry into the blood-stream through, for example, cuts, abrasions harmful effects. Examine the skin prior to the use of the material and the spongy harmful effects.	Based on available data, the classification criteria are not met. There is sufficient evidence to classify this material as eye damaging or irritating Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. The material is not thought to produce respiratory irritation (as classified by EC Dire inhalation of vapours, fumes or aerosols, especially for prolonged periods, may prodistress. The material has NOT been classified by EC Directives or other classification syste of the lack of corroborating animal or human evidence. The material may still be dated following ingestion, especially where pre-existing organ (e.g liver, kidney) damage toxic substances are generally based on doses producing mortality rather than thos Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupation

Chemwatch: 5398-50Page 8 of 10Issue Date: 10/03/2023Version No: 4.1Troy Coppernate InjectionPrint Date: 31/03/2025

Respiratory or Skin sensitisation

Mutagenicity

STOT - Repeated Exposure

Aspiration Hazard

Legend:

✓ – Data either not available or does not fill the criteria for classification

✓ – Data available to make classification

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Troy Coppernate Injection	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48h	Crustacea	~2.18mg/l	2
glycine, copper salt	EC50	72h	Algae or other aquatic plants	0.139mg/l	2
	EC50	96h	Algae or other aquatic plants	93748.5mg/l	2
	EC50(ECx)	72h	Algae or other aquatic plants	0.139mg/l	2
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity				
	4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
glycine, copper salt	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
glycine, copper salt	LOW (LogKOW = -6.5976)

Mobility in soil

Ingredient	Mobility
glycine, copper salt	LOW (Log KOC = 10)

SECTION 13 Disposal considerations

Waste treatment methods

- Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

Otherwise:

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- ▶ Where possible retain label warnings and SDS and observe all notices pertaining to the product.
- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- It may be necessary to collect all wash water for treatment before disposal.
 In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- ► Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- ▶ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 Transport information

Product / Packaging

disposal

Labels Required

Troy Coppernate Injection

Issue Date: **10/03/2023**Print Date: **31/03/2025**

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
glycine, copper salt	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
glycine, copper salt	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

glycine, copper salt is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6 $\,$

Australian Inventory of Industrial Chemicals (AIIC)

Additional Regulatory Information

Not Applicable

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	No (glycine, copper salt)		
Canada - NDSL	No (glycine, copper salt)		
China - IECSC	No (glycine, copper salt)		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	Yes		
Korea - KECI	No (glycine, copper salt)		
New Zealand - NZIoC	Yes		
Philippines - PICCS	No (glycine, copper salt)		
USA - TSCA	No (glycine, copper salt)		
Taiwan - TCSI	No (glycine, copper salt)		
Mexico - INSQ	No (glycine, copper salt)		
Vietnam - NCI	Yes		
Russia - FBEPH	No (glycine, copper salt)		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date

10/03/2023

Troy Coppernate Injection

Issue Date: 10/03/2023 Print Date: 31/03/2025

Initial Date

07/05/2020

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	10/12/2021	Classification change due to full database hazard calculation/update.
4.1	10/03/2023	Classification change due to full database hazard calculation/update.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- MARPOL: International Convention for the Prevention of Pollution from Ships
- ▶ IMSBC: International Maritime Solid Bulk Cargoes Code
- IGC: International Gas Carrier Code
- ▶ IBC: International Bulk Chemical Code
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.